



CREDIBLE INDUSTRIES

PACKAGING MACHINERY

Established in 2010-2011 in Ahmedabad, Gujarat- India.

CREDIBLE INDUSTRIES is manufacturer of Paper, Plastics converting and packaging machinery and all kind of packaging materials like BOPP Tape, BOPP Tape roll (Jumbo Roll), PVC Insulation Tape Roll, stretch Film, Aluminum foil Roll, We have a large satisfied customer in India and gulf countries from 2010

**ISO CERTIFIED COMPANY
EXPORTER**

**MFG. OF : PAPER, PLASTIC CONVERTING AND PACKAGING
MACHINERY AND ALL PACKAGING MATERIALS**




Shed No. 227, Pushpak and Pushpam Industrial Estate,
Phase -1, Neeka Tube Compound,
Vatva G.I.D.C., Vatva Ahmedabad-382440 Gujarat.
E-mail : sales.credibleindustries@gmail.com
Mo : +91 8160048489, 8866268471

Website : www.credibleindustries.com

INDEX

1. 1350 MM AUTOMATIC BOPP TAPE SLITTING MACHINE Model (ABTSM-004)
2. 1350 MM AUTOMATIC PAPER CORE LOADER MACHINE Model (APCLM-006)
3. 1000 MM AUTOMATIC PAPER CORE CUTTING MACHINE Model (APCCM-005)
4. 1350 MM SEMI-AUTOMATIC BOPP TAPE SLITTING MACHINE Model (SABTSM-001)
5. 300 MM AUTOMATIC BOPP TAPE SLITTING MACHINE Model (ABTSM-002)
6. 300 MM SEMI-AUTOMATIC BOPP TAPE SLITTING MACHINE Model (SABTSM-001)
7. MANUALLY PAPER CORE CUTTING MACHINE Model (MPCCM-004)
8. 1250 MM MANUALLY PVC INSULATION TAPE SLICER MACHINE Model (MSM-021)
9. 1250 MM SEMI-AUTOMATIC PVC INSULATION TAPE SLICER MACHINE Model (MSM-022)
10. 1250 MM AUTOMATIC PVC INSULATION TAPE SLICER MACHINE Model (ASSM-023)
11. 1250 MM AUTOMATIC MASKING TAPE SLICER MACHINE Model (ASSM-023)
12. 1350 MM MASKING TAPE REWINDING MACHINE Model (ARM-030)
13. 1250 MM DOUBLE SHAFT MASKING TAPE SLICER MACHINE Model (DASM-025)
14. 1250 MM DOUBLE SHAFT PVC INSULATION TAPE SLICER MACHINE Model (DASM-025)
15. 500 MM FOIL AND BUTTER PAPER REWINDING MACHINE Model (SAFRM-034)
16. 1000 MM ALL TYPE FILM SLITTING REWINDING MACHINE Model (SPSM-36)
17. 1000 MM ALL TYPE PAPER SLITTING REWINDING MACHINE Model (SPSM-37)
18. SHRINK WRAPPING MACHINE Model (SWM-009)



1350 MM AUTOMATIC BOPP TAPE SLITTING MACHINE Model (ABTSM-004)

Important Technical Specification

Extra Heavy-Duty Structure	Type Automatic
MS Plate Thickness: 30 mm Solid STD	Three Phase
Export Quality Product	Standard Model with
Certified Product	All safety features and alignment
5 HP A.C Motor (STANDARD MAKE)	3 Nos Heavy Tie Bar for Balancing
5 HP A.C Drives (STANDARD MAKE)	3 Nos. Aluminium Guide Roller
0.75 KW Gear Motor with Gear Box	3 Nos. Knurling Roll with Teflon Coating
Standard BEARING (SKF MAKE)	Heavy duty Knurling roll 105 Diameter
Pneumatic Clutch & Brake Systems for tightness	Pneumatic dancing roll low sound with EN 8 Material
Banana Bow Roller for remove wrinkles	4 Nos auto lug type Rewinding shaft
Size: LXWXH, 8.5 f x 5f x 5f	Highspeed Model with high Productivity
Weight: 1500 kg (Heavy Duty)	

Important Specification for Production

Total Jumbo roll Width: 1315 mm
Jumbo Roll Weight: 250 kg
Material: Bopp Self Adhesive roll
Tape Sizes: 24 MM to 72 MM
Production : 90-100 boxes per shift (From Operator only)



CREDIBLE
INDUSTRIES



1350 MM AUTOMATIC PAPER CORE LOADER MACHINE Model (APCLM-006)

Important Technical Specification

Extra Heavy-Duty Structure
1500 MM stock cylinders
Export Quality Product
Certified Product
Hand liver valve
Size: LXWXH, 18 F X 3 F X 3 F
Weight: 250 kg (Heavy Duty)
Type Automatic
Pneumatic cylinders (Standard Make)
All safety features and alignment
Safety guard
Highspeed Model with high Productivity

Important Specification for Production

With Machine Mould: 48 MM, 72 MM
12 MM, 18 MM ,24 MM, 36 MM 60 MM
Thickness: 2.5 MM To 5 MM
Material: Paper Core
Cutting Sizes: 24 MM to 72 MM
Production: 500 kg (Per Shift)

PAPER CORE LOADER MACHINE



CREDIBLE
INDUSTRIES



1000 MM AUTOMATIC PAPER CORE CUTTING MACHINE Model (APCCM-005)

Important Technical Specification

Extra Heavy-Duty Structure	Size: LXWXH, 5.5 f x 3f x 4f
2 Nos MS Plate Thickness: 12 MM	Weight: 250 kg (Heavy Duty)
Export Quality Product	Type Automatic
Certified Product	Three Phase / Single available
10 Blade (HSS)	2 Nos Standard Model with Pneumatic cylinders (Standard Make)
Nylon Cover	All safety features and alignment
10- 10 Spacer (24 MM to 72 MM)	Safety guard
1 HP A.C Motor (STANDARD MAKE)	1 Nos Main Shaft
Standard BEARING (SKF MAKE)	Highspeed Model with high Productivity

Important Specification for Production

Total Jumbo roll Width: 1000 mm
Thickness: 2.5 MM To 5 MM
Material: Paper Core
Cutting Sizes: 24 MM to 72 MM
Production: 500 kg (Per Shift)

AUTOMATIC PAPER CORE CUTTING MACHINE



CREDIBLE
INDUSTRIES

SEMI-AUTOMATIC BOPP TAPE SLITTING MACHINE



1350 MM SEMI-AUTOMATIC BOPP TAPE SLITTING MACHINE Model (SABTSM-001)

Important Technical Specification

Extra Heavy-Duty Structure	Weight: 1000 kg (Heavy Duty)
MS Plate Thickness: 20 mm Solid STD	Type Automatic
Export Quality Product	Three Phase
Certified Product	Standard Model with
5 HP A.C Motor (STANDARD MAKE)	All safety features and alignment
5 HP A.C Drives (STANDARD MAKE)	3 Nos Heavy Tie Bar for Balancing
0.75 KW Gear Motor with Gear Box	3 Nos. Aluminium Guide Roller
Standard BEARING (SKF MAKE)	3 Nos. Knurling Roll with Zink Coating
Speed 180 MPM	Heavy duty Knurling roll 87 Diameter
Clutch & Brake Systems for tightness	4 Nos Rewinding shaft
Banana Bow Roller for remove wrinkles	Highspeed Model with high Productivity
Size: LXWXH, 8.5 f x 5f x 5f	

Important Specification for Production

Total Jumbo roll Width: 1315 mm
Jumbo Roll Weight: 250 kg
Material: Bopp Self Adhesive roll
Tape Sizes: 24 MM to 72 MM
Production: 60-65 boxes per shift (From Operator only)



CREDIBLE
INDUSTRIES



300 MM AUTOMATIC BOPP TAPE SLITTING MACHINE Model (ABTSM-002)

Important Technical Specification

Extra Heavy-Duty Structure	Size: LXWXH, 4 f x 3f x 4f
MS Plate Thickness: 16 mm Solid STD	Weight: 450 kg (Heavy Duty)
Export Quality Product	Type Automatic
Certified Product	Three Phase/ Single Phase
1 HP A.C Motor (STANDARD MAKE)	All safety features and alignment
1 HP A.C Drives (STANDARD MAKE)	6 Nos Heavy Tie Bar for Balancing
0.75 KW Gear Motor with Gear Box	2 Nos. Aluminium Guide Roller
Standard BEARING (SKF MAKE)	2 Nos. Knurling Roll with Zink Coating
Speed 180 MPM	4 Nos Rewinding shaft
Clutch & Brake Systems for tightness	Highspeed Model with high Productivity

Important Specification for Production


Total Jumbo roll Width: 300 mm
Jumbo Roll Weight: 25 kg
Material: Bopp Self Adhesive roll
Tape Sizes: 24 MM to 72 MM
Production: 30 boxes per shift (From Operator only)

BOPP TAPE SLITTING MACHINE



CREDIBLE
INDUSTRIES

BOPP TAPE SLITTING MACHINE



300 MM SEMI-AUTOMATIC BOPP TAPE SLITTING MACHINE Model (SABTSM-001)

Important Technical Specification

Extra Heavy-Duty Structure	Weight: 250 kg (Heavy Duty)
MS Plate Thickness: 12 mm Solid STD	Type Semi-Automatic
Export Quality Product	Three Phase/ Single Phase
Certified Product	All safety features and alignment
1 HP A.C Motor (STANDARD MAKE)	6 Nos Heavy Tie Bar for Balancing
1 HP A.C Drives (STANDARD MAKE)	2 Nos. Aluminium Guide Roller
Standard BEARING (SKF MAKE)	2 Nos. Knurling Roll with Zink Coating
Speed 180 MPM	2 Nos Rewinding shaft
Clutch & Brake Systems for tightness	Highspeed Model with high Productivity
Size: LXWXH, 3 f x 3f x 4f	

Important Specification for Production

Total Jumbo roll Width: 300 mm
Jumbo Roll Weight: 25 kg
Material: Bopp Self Adhesive roll
Tape Sizes: 12 MM to 72 MM
Production: 20 boxes per shift (From Operator only)

Website : www.credibleindustries.com



CREDIBLE
INDUSTRIES



MANUALLY PAPER CORE CUTTING MACHINE Model (MPCCM-004)

Important Technical Specification

Extra Heavy-Duty Structure	Size: LXWXH, 3 f x 2f x 4f
Export Quality Product	Weight: 250 kg (Heavy Duty)
Certified Product	Type manual
4 Blade (HSS)	Three Phase / Single available
Nylon Cover	All safety features and alignment
4-4 Spacer (12 MM to 72 MM)	Safety guard
1 HP A.C Motor (STANDARD MAKE)	1 Nos Main Shaft
Standard BEARING (SKF MAKE)	Highspeed Model with high Productivity

Important Specification for Production


Total Jumbo roll Width: 600 mm
Thickness: 2.5 MM To 5 MM
Material: Paper Core
Cutting Sizes: 12 MM to 72 MM
Production: 200 kg (Per Shift)

MANUALLY PAPER CORE CUTTING MACHINE



CREDIBLE
INDUSTRIES

MANUALLY PVC INSULATION TAPE SLICER MACHINE



1250 MM MANUALLY PVC INSULATION TAPE SLICER MACHINE Model (MSM-021)

Important Technical Specification

Extra Heavy-Duty Structure	Size: LXWXH, L 7f x 2f x 4f
2 Nos MS Plate Thickness: 12 MM	Weight: 250 kg (Heavy Duty)
Export Quality Product	Type Manual
Certified Product	Three Phase / Single available
6" Dia 1 Blade (HSS)	All safety features and alignment
Nylon Cover	Safety guard
Rachet: 18/24 MM	1 Nos Main Shaft
1 HP A.C Motor (STANDARD MAKE)	Highspeed Model with high Productivity
Standard BEARING (SKF MAKE)	

Important Specification for Production

Total Jumbo roll Width: 1250 mm
Production capacity: 2500 Pcs (Per Shift)

Website : www.credibleindustries.com



1250 MM SEMI-AUTOMATIC PVC INSULATION TAPE SLICER MACHINE Model (MSM-022)

Important Technical Specification

Extra Heavy-Duty Structure	Size: LXWXH, L 7f x 2f x 4f
2 Nos MS Plate Thickness: 12 MM	2 Nos Pneumatic Cylinders (Standard Make)
Export Quality Product	Weight: 400 kg (Heavy Duty)
Certified Product	Type Manual
6" Dia 1 Blade (HSS)	Three Phase / Single available
Nylon Cover	All safety features and alignment
Rachet: 18/24 MM	Safety guard
1 HP A.C Motor (STANDARD MAKE)	1 Nos Main Shaft
Standard BEARING (SKF MAKE)	Highspeed Model with high Productivity

Important Specification for Production

Total Jumbo roll Width: 1250 mm
 Production capacity: 3500 Pcs (Per Shift)



CREDIBLE
INDUSTRIES

AUTOMATIC PVC INSULATION TAPE SLICER MACHINE



1250 MM AUTOMATIC PVC INSULATION TAPE SLICER MACHINE Model (ASSM-023)

Important Technical Specification

Extra Heavy-Duty Structure	ID: 38 With PP Nylon
2 Nos MS Plate Thickness: 16 MM	Standard BEARING (SKF MAKE)
Export Quality Product	Size: LXWXH, L 7f x 4f x 4f
Certified Product	4 Nos Pneumatic Cylinders (Standard Make)
6" Dia 1 Blade (HSS)	Weight: 700 kg (Heavy Duty)
Nylon Cover	Type Automatic
3 HP A.C Motor (STANDARD MAKE)	Three Phase
Automatic cutting will all pneumatic alignment	All safety features and alignment
3 HP Drives (Crompton Make)	Safety guard
Pneumatic Chuck with Auto Locking/ Unlocking	1 Nos Main Shaft
PLC Based Panel with HMI	Highspeed Model with high Productivity

Important Specification for Production

Total Jumbo roll Width: 1250 mm
Production capacity: 8000 Pcs (Per Shift)

Website : www.credibleindustries.com



CREDIBLE
INDUSTRIES



1250 MM AUTOMATIC MASKING TAPE SLICER MACHINE Model (ASSM-023)

Important Technical Specification

Extra Heavy-Duty Structure	ID: 76 With PP Nylon
2 Nos MS Plate Thickness: 16 MM	Standard BEARING (SKF MAKE)
Export Quality Product	Size: LXWXH, L 7f x 4f x 4f
Certified Product	4 Nos Pneumatic Cylinders (Standard Make)
6" Dia 1 Blade (HSS)	Weight: 700 kg (Heavy Duty)
Nylon Cover	Type Automatic
3 HP A.C Motor (STANDARD MAKE)	Three Phase
Automatic cutting with all pneumatic alignment	All safety features and alignment
3 HP Drives (Crompton Make)	Safety guard
Pneumatic Chuck with Auto Locking/ Unlocking	1 Nos Main Shaft
PLC Based Panel with HMI	Highspeed Model with high Productivity

Important Specification for Production

Total Jumbo roll Width: 1250 mm
Production capacity: 6000 Pcs (Per Shift)



CREDIBLE
INDUSTRIES

MASKING TAPE REWINDING MACHINE




1350 MM MASKING TAPE REWINDING MACHINE Model (ARM-030)

Important Technical Specification

Extra Heavy-Duty Structure	Pneumatic Brake systems
MS Plate Thickness: 25 mm Solid STD	Control Panel
Export Quality Product	Weight: 1000 kg (Heavy Duty)
Certified Product	Type Automatic
5 HP A.C Motor (STANDARD MAKE)	Three Phase
5 HP A.C Drives (CROMPTON MAKE)	Standard Model with
Standard BEARING (SKF MAKE)	All safety features and alignment
Speed 180 MPM	3 Nos Heavy Tie Bar for Balancing
Clutch & Brake Systems for tightness	2 Nos. Aluminium Guide Roller
Banana Bow Roller for remove wrinkles	1 Nos. Knurling Roll with Green Teflon Coating
Size: LXWXH, 8.5 f x 5f x 5f	Heavy duty Knurling roll 87 Diameter
6 Pneumatic Cylinders (Genetic Make)	2 Nos Air shaft
Pneumatic Pressor roll	Highspeed Model with high Productivity

Important Specification for Production

Total Jumbo roll Width: 1315 mm
Jumbo Roll Weight: 250 kg
Material: Masking Roll
Tape Length: up 500 Meter
Production: 1.5 on per shift (From Operator only)



1250 MM DOUBLE SHAFT MASKING TAPE SLICER MACHINE Model (DASM-025)

Important Technical Specification

Extra Heavy-Duty Structure	PLC Based Panel with HMI
2 Nos MS Plate Thickness: 25 MM	ID: 76 With PP Nylon
Export Quality Product	Standard BEARING (SKF MAKE)
Certified Product	Size: LXWXH, L 7f x 4f x 4f
6" Dia 2 Blade (HSS)	6 Nos Pneumatic Cylinders (Standard Make)
Motorised Cutter Head alignment	Weight: 1000 kg (Heavy Duty)
Nylon Cover	Type Automatic
Double Shaft	Three Phase
5 HP A.C Motor (STANDARD MAKE)	All safety features and alignment
Automatic cutting will all pneumatic alignment	Safety guard
5 HP Drives (Crompton Make)	1 Nos Main Shaft
Pneumatic Chuck with Auto Locking/ Unlocking	Highspeed Model with high Productivity

Important Specification for Production

Total Jumbo roll Width: 1250 mm
 Production capacity: 12000 Pcs (Per Shift)

DOUBLE SHAFT MASKING TAPE SLICER MACHINE



CREDIBLE
INDUSTRIES

DOUBLE SHAFT PVC INSULATION TAPE SLICER MACHINE



1250 MM DOUBLE SHAFT PVC INSULATION TAPE SLICER MACHINE Model (DASM-025)

Important Technical Specification

Extra Heavy-Duty Structure	PLC Based Panel with HMI
2 Nos MS Plate Thickness: 25 MM	ID: 76 With PP Nylon
Export Quality Product	Standard BEARING (SKF MAKE)
Certified Product	Size: LXWXH, L 7f x 4f x 4f
6" Dia 2 Blade (HSS)	6 Nos Pneumatic Cylinders (Standard Make)
Motorised Cutter Head alignment	Weight: 1000 kg (Heavy Duty)
Nylon Cover	Type Automatic
Double Shaft	Three Phase
5 HP A.C Motor (STANDARD MAKE)	All safety features and alignment
Automatic cutting with all pneumatic alignment	Safety guard
5 HP Drives (Crompton Make)	1 Nos Main Shaft
Pneumatic Chuck with Auto Locking/ Unlocking	Highspeed Model with high Productivity

Important Specification for Production

Total Jumbo roll Width: 1250 mm
Production capacity: 12000 Pcs (Per Shift)

Website : www.credibleindustries.com



CREDIBLE
INDUSTRIES



500 MM FOIL AND BUTTER PAPER REWINDING MACHINE Model (SAFRM-034)

Important Technical Specification

Extra Heavy-Duty Structure	Size: LXWXH, 4 f x 3f x 4f
MS Plate Thickness: 16 mm Solid STD	Weight: 350 kg (Heavy Duty)
Export Quality Product	Type Automatic
Certified Product	Three Phase/ Single Phase
1 HP A.C Motor (Roto Make)	All safety features and alignment
1 HP A.C Drives (Crompton Make)	6 Nos Heavy Tie Bar for Balancing
0.75 KW Gear Motor with Gear Box	4 Nos. Steel Guide Roller
Standard Bearing (SKF MAKE)	1 Nos Rubber roll
Speed 180 MPM	1 Weight roll
Clutch & Brake Systems for tightness	Highspeed Model with high Productivity

Important Specification for Production

Total Jumbo roll Width: 300 mm
Jumbo Roll Weight: 125 kg
Material: Foil and Butter Paper
Production: 500 kg per shift (From Operator only)

FOIL AND BUTTER PAPER REWINDING MACHINE



CREDIBLE
INDUSTRIES



1000 MM ALL TYPE FILM SLITTING REWINDING MACHINE Model (SPSM-36)

Important Technical Specification

Extra Heavy-Duty Structure	Banana Bow Roller for remove wrinkles
MS Plate Thickness: 50 mm Solid STD	Size: LXWXH, 8.5 f x 8.5 f x 5f
Export Quality Product	Blade Holder alignment
Certified Product	Circular Cutter alignment
7.5 HP A.C Motor (Roto Make)	3 Nos Air Shaft
7.5 HP A.C Drives (Crompton Make)	Weight: 1000 kg (Heavy Duty)
0.75 KW Gear Motor with Gear Box	Type Semi-Automatic
1 HP Web Aligner	Three Phase
1 HP Blower	All safety features and alignment
165 mm Drum Roll Diameter	3 Nos Heavy Tie Bar for Balancing
Standard Bearing (SKF MAKE)	3 Nos. Aluminium Guide Roller
Speed 100 To 350 MPM	2 Nos Rewinding shaft
Clutch & Brake Systems for tightness	Highspeed Model with high Productivity

Important Specification for Production

Total Jumbo roll Width: 500 MM to 3000 MM
Jumbo Roll Weight: 100 Kg to 1500 kg
Material: All type Films
Slitting Size: 24 MM to 500 MM
Production: As per Order size

FILM SLITTING REWINDING MACHINE



CREDIBLE
INDUSTRIES



1000 MM ALL TYPE PAPER SLITTING REWINDING MACHINE Model (SPSM-37)

Important Technical Specification

Extra Heavy-Duty Structure	Banana Bow Roller for remove wrinkles
MS Plate Thickness: 50 mm Solid STD	Size: LXWXH, 8.5 f x 8.5 f x 5f
Export Quality Product	Blade Holder alignment
Certified Product	Circular Cutter alignment
7.5 HP A.C Motor (Roto Make)	3 Nos Air Shaft
7.5 HP A.C Drives (Crompton Make)	Weight: 1000 kg (Heavy Duty)
0.75 KW Gear Motor with Gear Box	Type Semi-Automatic
1 HP Web Aligner	Three Phase
1 HP Blower	All safety features and alignment
165 mm Drum Roll Diameter	3 Nos Heavy Tie Bar for Balancing
Standard Bearing (SKF MAKE)	3 Nos. Aluminium Guide Roller
Speed 100 To 350 MPM	2 Nos Rewinding shaft
Clutch & Brake Systems for tightness	Highspeed Model with high Productivity

Important Specification for Production

Total Jumbo roll Width: 500 MM to 3000 MM
Jumbo Roll Weight: 100 Kg to 1500 kg
Material: All type Papers
Slitting Size: 24 MM to 500 MM
Production: As per Order size

ALL TYPE PAPER SLITTING REWINDING MACHINE



CREDIBLE
INDUSTRIES

SHRINK WRAPPING MACHINE



SHRINK WRAPPING MACHINE Model (SWM-009)

Important Technical Specification

- Extra Heavy-Duty Structure
- Export Quality Product
- Certified Product
- 0.5 HP A.C Motor (STANDARD MAKE)
- Size: LXWXH, 5 f x 4f x 3f
- Gate Size: 200 mm X 300 mm
- Weight: 100 kg (Heavy Duty)
- Type Semi - Automatic
- Three Phase/Single Phase
- All safety features and alignment
- 7 Nos Heavy Hitting coil
- 4 Wheel
- Highspeed Model with high Productivity

Important Specification for Production

- Material: For Packaging